Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: VOLTOLUX

Supplier's address: Inköp, BAUHAUS & Co KB Box 587 175 26 Järfälla

Model identifier: 2000978C

Type of light source:

| Lighting technology used: | LED | Non-directional or directional: | NDLS | | | |
|-------------------------------|------|---------------------------------|------|--|--|--|
| Light source cap-type | E27 | | | | | |
| (or other electric interface) | | | | | | |
| Mains or non-mains: | NMLS | Connected light source (CLS): | Nej | | | |
| Colour-tuneable light source: | Nej | Envelope: | - | | | |
| High luminance light source: | Nej | | | | | |
| Anti-glare shield: | Nej | Dimmable: | Yes | | | |
| Product parameters | | | | | | |

| | | i iouuci para | | | | |
|--|-----------------------------------|-------------------------|---|--------------|--|--|
| Parameter | | Value | Parameter | Value | | |
| General product parameters: | | | | | | |
| Energy consum mode (kWh/100 up to the neares | 00 h), rounded | 4 | Energy efficiency class | F | | |
| Useful luminou indicating if it re in a sphere (36 cone (120 ^o) or in (90 ^o) | efers to the flux 50°), in a wide | 360 in Sphere (360°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 2 200 | | |
| On-mode p expressed in W | ower (P _{on}), | 4,0 | Standby power (P _{sb}), expressed in W and rounded to the second decimal | 0,00 | | |
| Networked stand for CLS, expres rounded to the s | sed in W and | - | Colour rendering index, rounded to the nearest integer, or the range of CRI- values that can be set | 80 | | |
| Outer | Height | 280 | Spectral power | See image | | |
| dimensions | Width | 160 | distribution in the | in last page | | |
| without | Depth | 160 | | Sida 1 / 3 | | |

| separate control gear, lighting control parts and non- lighting control parts, if any (millimetre) | | range 250 nm to 800 nm, at full-load | |
|--|----------|---|-------|
| Claim of equivalent power ^(a) | - | If yes, equivalent power (W) | - |
| | | Chromaticity | 0,506 |
| | | coordinates (x and y) | 0,420 |
| Parameters for LED and OLED light | sources: | | |
| R9 colour rendering index value | 84 | Survival factor | 0,90 |
| the lumen maintenance factor | 0,96 | | |
| (a) | | I I | |

(a)_{'-'} : not applicable;

(b)'-' : not applicable;

